
ideas in motion >



waste basket pull-outs brochure






Packing Unit: Rubbermaid #2806 (34L/36 qt.) white, two per box



	SLIDE TYPE:	Full-Extension Drawer Slide	LENGTH:	575 mm (22.64 in.)
FR 3605			WIDTH:	variable
	MOUNTING:	Floor Mount	LOAD CAPACITY	dynamic up to 46 kg (100 lbs.)
	E. L'a	10 10 10 10 10 10 10 10 10 10	 A ve This FR 5 clos This ball track This confi 6-wa door 	FICATION DETAILS: ry versatile pull-out for kitchen base cabinets waste basket pull-out system incorporates our 000 slide with a Easy Close automatic self- ing and slam-resistant features our FR 5000 bearing drawer slide which has a proven a record. design gives the user total flexibility in iguration for waste bins and width of cabinet ay adjustable front bracket reversible for any application yaplication recommended pull-out design)
MATERIAL: powder coated cold rolled steel	FEATURES:	steel ball bearings		
Waste Basket Pull-out Length Extension mm in mm in	Inside Cabinet Widt from: to:	h Min. Inside Cabinet Height in mm in.	Weight kg lbs	Order No. white
FR 3605 575 22.64 575 22.64	variable	variable	kg lbs * *	92045
Packing Unit: per set				* on request
	SLIDE TYPE:			
FR 3611		Full-Extension Drawer Slide	LENGTH: WIDTH:	575 mm (22.64 in.) variable
FR 3611	MOUNTING:	Full-Extension Drawer Slide Side Mount	WIDTH: Load Capacity	variable dynamic up to 46 kg (100 lbs.)
FR 3611	MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve > A ve > This FR 5 clos ball tracl flexi conf > 6-w	variable
	MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD • A ve • This FR clos • This ball tract flexi conf • 6-w door	variable dynamic up to 46 kg (100 lbs.) FICATION DETAILS: rry versatile pull-out for kitchen base cabinets waste basket pull-out system incorporates our 5000 slide with a Easy Close automatic self- sing and slam-resistant feature. waste basket pull-out features our FR 5000 bearing drawer slide which has a proven k record. ► This design gives the user total bility in iguration for waste bins and width of cabinet ay adjustable front bracket reversible for any
MATERIAL: powder coated cold rolled steel	MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD • A ve • This FR clos • This ball tract flexi conf • 6-w door	 variable dynamic up to 46 kg (100 lbs.) FICATION DETAILS: rry versatile pull-out for kitchen base cabinets waste basket pull-out system incorporates our 5000 slide with a Easy Close automatic self-ing and slam-resistant feature. waste basket pull-out features our FR 5000 bearing drawer slide which has a proven k record. This design gives the user total bility in iguration for waste bins and width of cabinet ay adjustable front bracket reversible for any application
MATERIAL: powder coated cold rolled steel Waste Basket Pull-out Extension	MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve 3 This FR 5 clos clo	variable dynamic up to 46 kg (100 lbs.) FICATION DETAILS: Try versatile pull-out for kitchen base cabinets waste basket pull-out system incorporates our 5000 slide with a Easy Close automatic self- ing and slam-resistant feature. Waste basket pull-out features our FR 5000 bearing drawer slide which has a proven k record. This design gives the user total bility in figuration for waste bins and width of cabinet ay adjustable front bracket reversible for any application Trecommended pull-out design) (recommended pull-out design)
MATERIAL: powder coated cold rolled steel Waste Basket Pull-out	MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve 3 This FR 5 clos clos clos clos clos clos clos clos	variable dynamic up to 46 kg (100 lbs.) FICATION DETAILS: ry versatile pull-out for kitchen base cabinets waste basket pull-out system incorporates our 5000 slide with a Easy Close automatic self- ing and slam-resistant feature. waste basket pull-out features our FR 5000 bearing drawer slide which has a proven k record. This design gives the user total bility in figuration for waste bins and width of cabinet ay adjustable front bracket reversible for any application $r_{2,2,4}$ $r_{2,4}$





Fulterer

2015

 FULTERER USA INC.
 T +1 336 431 - 4646

 542 Townsend Avenue
 T +1 800 395 - 4646

 High Point, NC
 F +1 336 431 - 4620

 27263-4552, USA
 info@fultererusa.com

 www.fultererusa.com
 www.fultererusa.com

FULTERER USA INC. 1900 Proforma Avenue, Unit F-2 Ontario, CA 91761, USA

T +1 909 947 - 0407 F +1 909 947 - 0409 info@fultererusa.com www.fultererusa.com FULTERER GMBH www.fulterer.com

w.iuiterer.com