

# FR 5609.OT.SMT

<b>SLIDE TYPE:</b>	Heavy-Duty Full-Extension Ball Bearing Drawer Slide Standard Mounting Tab Over-travel Version
<b>MOUNTING:</b>	Side Mount

<b>WIDTH:</b>	19mm (0.75 in.)
<b>LOAD CAPACITY:</b>	dynamic up to 100 kg (225 lbs.)

**New Product**  
Please inquire for lead time





FR 5609.OT.SMT includes a metal disconnect latch

<b>MATERIALS:</b>	cold rolled steel
-------------------	-------------------

<b>FEATURES:</b>	steel ball bearings
------------------	---------------------


<b>SPECIFICATIONS:</b>	<ul style="list-style-type: none"> <li>▶ precision ball bearing drawer slide for heavy-duty usage</li> <li>▶ telescoping 3-stage design with excellent running qualities with 25 mm (.98 inch) over-travel</li> <li>▶ drawer slide has a hold close detent</li> <li>▶ metal disconnect latch standard</li> <li>▶ drawer profiles have a security screw hole for fixing drawer to slide</li> </ul>
------------------------	---




Mounting Lance with security screw slot

19 mm (0.75 in.) is the actual size of the slide. Allow a min. of 19.1 mm (0.75 in.) for clearance and a maximum of 19.6 mm (0.77 in.).

### Installation Dimensions



### Slide Dimensions



Length mm in	Travel mm in	Cabinet Profile:				Drawer Profile:				Weight kg lbs.	Order No. 1.5mm 16ga. steel zinc	Order No. 1.9mm 14ga. steel zinc
		A mm in	B mm in	C mm in	D mm in	E mm in	F mm in					
350 13.78	375 14.76	228.6 9.0	228.6 9.0			203.2 8.0	203.2 8.0		*	*	*	
400 15.75	425 16.73	279.4 11.0	279.4 11.0			250.0 9.84	250.0 9.84		*	*	*	
450 17.72	475 18.70	330.2 13.0	330.2 13.0			292.1 11.5	292.1 11.5		*	*	*	
500 19.69	525 20.67	381.0 15.0	381.0 15.0			317.5 12.5	317.5 12.5		*	*	*	
550 21.65	575 22.64	431.8 17.0	431.8 17.0			393.7 15.5	393.7 15.5		*	*	*	
600 23.62	625 24.61	482.6 19.0	482.6 19.0			393.7 15.5	393.7 15.5		*	*	*	
650 25.59	675 26.58	533.4 21.0	533.4 21.0			393.7 15.5	393.7 15.5		*	*	*	
700 27.56	725 28.54	584.2 23.0	584.2 23.0	292.1 11.5	292.1 11.5	393.7 15.5	393.7 15.5		*	*	*	

Packing Unit: 4 pair per box

\* on request