



INNOVATIONS  
IN KITCHEN  
CABINET  
STORAGE

# Striving for perfection and harmony


Perfection, as we understand it, does not serve only to demonstrate our technical abilities.

We believe we have approached perfection when your customer does not immediately notice our products specifically, but perhaps on a subconscious level appreciates the functional harmony they bring to the kitchen. At the same time utilizing the interior space most ergonomically.

Fulterer is proud to bring you this innovative and comprehensive line of kitchen cabinet products.

## Contents

HSA Pantry Pull Out . . . . .	2-4
DUSA Storage Cabinet Swing & Slide-Out . . . . .	5-6
DSA Tall & Base Cabinet Pull-Out . . . . .	7-8
WARI CORNER Blind Corner Base Cabinet Swing & Slide-Out . . . . .	9
TWIN CORNER Blind Corner Base Cabinet Swing-Out . . . . .	10
PIE-CUT CORNER (hinged doors) . . . . .	11
PIE-CUT CORNER (retracting doors) . . . . .	12
LAZY-SUSAN CORNER (hinged doors) . . . . .	13
LAZY-SUSAN CORNER (retracting doors) . . . . .	14
BRS Wall Cabinet Pull-Out . . . . .	15
OSA Wall Cabinet Pull-Out . . . . .	16
SPICE RACKS . . . . .	17
IRONING BOARD . . . . .	18
PULL-OUT BASKET . . . . .	19-20
FR 3610 Waste Basket Pull-out . . . . .	21
Notes . . . . .	22



**VAUTH-SAGEL**  
*by Fulterer*

542 Townsend Avenue  
High Point, NC 27263  
Phone 1 336 431 4646  
1 800 395 4646  
Fax 1 336 431 4620  
info@fultererusa.com  
www.fultererusa.com

Printed in the U.S.A. 3/07

# HSA

## Pantry Cabinet Pull-Out System

Featuring a Full-extension slide with E-Z-Close Dampening System  
250 lbs. capacity

### SPECIFICATION DETAILS:


- ▶ Tool-less assembly of the frame on to the slide
- ▶ Variable frame heights from 650mm (37.40 in.) to 2150mm (84.65 in.)
- ▶ Three dimensional door front adjustment
- ▶ Adjustable basket assembly



▶ Saphir, chrome plated basket








▶ Scalea, maple bottom, silver powder coated basket



▶ Door front adapter



Saphir features a basket with wire mesh bottom.  
Scalea features a basket with maple laminate bottom.



1. Pull-out Frame
2. Bottom Slide
3. Top Slide
4. Standard Door Adapter
5. Intermediate Door Adapter

Pantry pull-out frame including top and bottom slide with cover and EZ Close damping system.

Color: Silver powder coated, non-handed

1 2 3

Description	Inside Cabinet Height: H from min.:		to max.:		Recommended Number of Baskets	Order No.
	mm	inch	mm	inch		
HSA 1	650	25.6	950	37.4	2	90002514
HSA 2	950	37.4	1200	47.24	3	90002172
HSA 3	1200	47.24	1450	57.09	4	90002173
HSA 4	1450	57.09	1700	66.93	4	90002174
HSA 5	1700	66.93	1950	76.77	5	90002175
HSA 6	1900	74.80	2150	84.65	5	90002176

Packing Unit: 2 per set

Door Adapters

4 Standard Door Adapter  
Packing 2 pcs.  
Order No.

5 \*Intermediate Door Adapter  
Packing 1 pc.  
Order No.

Size	mm	inch	Order No.	Order No.
1	216	8.50	90002177	90002183
2	292	11.50	90002178	90002214
3	368	14.49	90002179	90002215
4	444	17.48	90002180	90002216
5	520	20.47	90002181	90002217
6	545	21.46	90002182	90002218

\* Recommended for HSA 4, 5, and 6

Basket Sets

Color: Saphir, chrome

Min. Inside Cabinet Width	Actual Basket Width: W	Set Packing * Number of Baskets	Order No.	
				mm
225	8.86	210 8.25	2	90002152
225	8.86	210 8.25	3	90002153
295	11.61	280 11.02	2	90002154
295	11.61	280 11.02	3	90002155
365	14.37	350 13.78	2	90002156
365	14.37	350 13.78	3	90002157
435	17.13	420 16.54	2	90002158
435	17.13	420 16.54	3	90002159
505	19.88	490 19.29	2	90002160
505	19.88	490 19.29	3	90002161

\* Packing Unit: Determined by total number of baskets used per frame

Basket Sets

Color: Scalea, maple/silver powder coated wire border

Min. Inside Cabinet Width	Actual Basket Width: W	Set Packing * Number of Baskets	Order No.	
				mm
225	8.86	210 8.25	2	90002162
225	8.86	210 8.25	3	90002163
295	11.61	280 11.02	2	90002164
295	11.61	280 11.02	3	90002165
365	14.37	350 13.78	2	90002166
365	14.37	350 13.78	3	90002167
435	17.13	420 16.54	2	90002168
435	17.13	420 16.54	3	90002169
505	19.88	490 19.29	2	90002170
505	19.88	490 19.29	3	90002171

\* Packing Unit: Determined by total number of baskets used per frame

### Complete Sets in Saphir (Chrome Plated) or Scalea (Sliver Powder Coated with Maple Laminate Basket Bottoms)

Complete sets include pantry pull-out frame, baskets, and door adapters.

HSA	Order No.	Inside Cabinet Height		Basket Width		Style	Number of Baskets	Consisting of: (quantity x order no. 9000____) see previous page
		mm	in	mm	in			
1-08	*							
2-08	90002172210	950-1200	37.40-47.24	210	8.27	Saphir/Chrome	3	1 x 2172, 1 x 2153, 1 x 2177
3-08	90002173210	1200-1450	47.24-57.09	210	8.27	Saphir/Chrome	4	1 x 2173, 2 x 2152, 1 x 2177
4-08	90002174210	1450-1700	57.09-66.93	210	8.27	Saphir/Chrome	4	1 x 2174, 2 x 2152, 1 x 2177, 1 x 2183
5-08	90002175210	1700-1950	66.93-76.77	210	8.27	Saphir/Chrome	5	1 x 2175, 1 x 2152, 1 x 2153, 1 x 2177, 1 x 2183
6-08	90002176210	1900-2150	74.80-84.65	210	8.27	Saphir/Chrome	5	1 x 2176, 1 x 2152, 1 x 2153, 1 x 2177, 1 x 2183
1-11	*							
2-11	90002172280	950-1200	37.40-47.24	280	11.02	Saphir/Chrome	3	1 x 2172, 1 x 2155, 1 x 2178
3-11	90002173280	1200-1450	47.24-57.09	280	11.02	Saphir/Chrome	4	1 x 2173, 2 x 2154, 1 x 2178
4-11	90002174280	1450-1700	57.09-66.93	280	11.02	Saphir/Chrome	4	1 x 2174, 2 x 2154, 1 x 2178, 1 x 2214
5-11	90002175280	1700-1950	66.93-76.77	280	11.02	Saphir/Chrome	5	1 x 2175, 1 x 2154, 1 x 2155, 1 x 2178, 1 x 2214
6-11	90002176280	1900-2150	74.80-84.65	280	11.02	Saphir/Chrome	5	1 x 2176, 1 x 2154, 1 x 2155, 1 x 2178, 1 x 2214
1-14	*							
2-14	90002172350	950-1200	37.40-47.24	350	13.78	Saphir/Chrome	3	1 x 2172, 1 x 2157, 1 x 2179
3-14	90002173350	1200-1450	47.24-57.09	350	13.78	Saphir/Chrome	4	1 x 2173, 2 x 2156, 1 x 2179
4-14	90002174350	1450-1700	57.09-66.93	350	13.78	Saphir/Chrome	4	1 x 2174, 2 x 2156, 1 x 2179, 1 x 2215
5-14	90002175350	1700-1950	66.93-76.77	350	13.78	Saphir/Chrome	5	1 x 2175, 1 x 2154, 1 x 2159, 1 x 2180, 1 x 2215
6-14	90002176350	1900-2150	74.80-84.65	350	13.78	Saphir/Chrome	5	1 x 2176, 1 x 2156, 1 x 2157, 1 x 2179, 1 x 2215
1-17	*							
2-17	90002172420	950-1200	37.40-47.24	420	16.54	Saphir/Chrome	3	1 x 2172, 1 x 2159, 1 x 2180
3-17	90002173420	1200-1450	47.24-57.09	420	16.54	Saphir/Chrome	4	1 x 2173, 2 x 2158, 1 x 2180
4-17	90002174420	1450-1700	57.09-66.93	420	16.54	Saphir/Chrome	4	1 x 2174, 2 x 2158, 1 x 2180, 1 x 2216
5-17	90002175420	1700-1950	66.93-76.77	420	16.54	Saphir/Chrome	5	1 x 2175, 1 x 2154, 1 x 2159, 1 x 2180, 1 x 2216
6-17	90002176420	1900-2150	74.80-84.65	420	16.54	Saphir/Chrome	5	1 x 2176, 1 x 2158, 1 x 2159, 1 x 2180, 1 x 2216
1-19	*							
2-19	90002172490	950-1200	37.40-47.24	490	19.29	Saphir/Chrome	3	1 x 2172, 1 x 2161, 1 x 2181
3-19	90002173490	1200-1450	47.24-57.09	490	19.29	Saphir/Chrome	4	1 x 2173, 2 x 2160, 1 x 2181
4-19	90002174490	1450-1700	57.09-66.93	490	19.29	Saphir/Chrome	4	1 x 2174, 2 x 2160, 1 x 2181, 1 x 2217
5-19	90002175490	1700-1950	66.93-76.77	490	19.29	Saphir/Chrome	5	1 x 2175, 1 x 2160, 1 x 2161, 1 x 2181, 1 x 2217
6-19	90002176490	1900-2150	74.80-84.65	490	19.29	Saphir/Chrome	5	1 x 2176, 1 x 2160, 1 x 2161, 1 x 2181, 1 x 2217
1-08	*							
2-08	90002172210S	950-1200	37.40-47.24	210	8.27	Scalea/Sliver	3	1 x 2172, 1 x 2163, 1 x 2177
3-08	90002173210S	1200-1450	47.24-57.09	210	8.27	Scalea/Sliver	4	1 x 2173, 2 x 2162, 1 x 2177
4-08	90002174210S	1450-1700	57.09-66.93	210	8.27	Scalea/Sliver	4	1 x 2174, 2 x 2162, 1 x 2177, 1 x 2183
5-08	90002175210S	1700-1950	66.93-76.77	210	8.27	Scalea/Sliver	5	1 x 2175, 1 x 2162, 1 x 2163, 1 x 2177, 1 x 2183
6-08	90002176210S	1900-2150	74.80-84.65	210	8.27	Scalea/Sliver	5	1 x 2176, 1 x 2162, 1 x 2163, 1 x 2177, 1 x 2183
1-11	*							
2-11	90002172280S	950-1200	37.40-47.24	280	11.02	Scalea/Sliver	3	1 x 2172, 1 x 2165, 1 x 2178
3-11	90002173280S	1200-1450	47.24-57.09	280	11.02	Scalea/Sliver	4	1 x 2173, 2 x 2164, 1 x 2178
4-11	90002174280S	1450-1700	57.09-66.93	280	11.02	Scalea/Sliver	4	1 x 2174, 2 x 2164, 1 x 2178, 1 x 2214
5-11	90002175280S	1700-1950	66.93-76.77	280	11.02	Scalea/Sliver	5	1 x 2175, 1 x 2164, 1 x 2165, 1 x 2178, 1 x 2214
6-11	90002176280S	1900-2150	74.80-84.65	280	11.02	Scalea/Sliver	5	1 x 2176, 1 x 2164, 1 x 2165, 1 x 2178, 1 x 2214
1-14	*							
2-14	90002172350S	950-1200	37.40-47.24	350	13.78	Scalea/Sliver	3	1 x 2172, 1 x 2167, 1 x 2179
3-14	90002173350S	1200-1450	47.24-57.09	350	13.78	Scalea/Sliver	4	1 x 2173, 2 x 2166, 1 x 2179
4-14	90002174350S	1450-1700	57.09-66.93	350	13.78	Scalea/Sliver	4	1 x 2174, 2 x 2166, 1 x 2179, 1 x 2215
5-14	90002175350S	1700-1950	66.93-76.77	350	13.78	Scalea/Sliver	5	1 x 2175, 1 x 2166, 1 x 2167, 1 x 2179, 1 x 2215
6-14	90002176350S	1900-2150	74.80-84.65	350	13.78	Scalea/Sliver	5	1 x 2176, 1 x 2166, 1 x 2167, 1 x 2179, 1 x 2215
1-17	*							
2-17	90002172420S	950-1200	37.40-47.24	420	16.54	Scalea/Sliver	3	1 x 2172, 1 x 2169, 1 x 2180
3-17	90002173420S	1200-1450	47.24-57.09	420	16.54	Scalea/Sliver	4	1 x 2173, 2 x 2168, 1 x 2180
4-17	90002174420S	1450-1700	57.09-66.93	420	16.54	Scalea/Sliver	4	1 x 2174, 2 x 2168, 1 x 2180, 1 x 2216
5-17	90002175420S	1700-1950	66.93-76.77	420	16.54	Scalea/Sliver	5	1 x 2175, 1 x 2168, 1 x 2169, 1 x 2180, 1 x 2216
6-17	90002176420S	1900-2150	74.80-84.65	420	16.54	Scalea/Sliver	5	1 x 2176, 1 x 2168, 1 x 2169, 1 x 2180, 1 x 2216
1-19	*							
2-19	90002172490S	950-1200	37.40-47.24	490	19.29	Scalea/Sliver	3	1 x 2172, 1 x 2171, 1 x 2181
3-19	90002173490S	1200-1450	47.24-57.09	490	19.29	Scalea/Sliver	4	1 x 2173, 2 x 2170, 1 x 2181
4-19	90002174490S	1450-1700	57.09-66.93	490	19.29	Scalea/Sliver	4	1 x 2174, 2 x 2170, 1 x 2181, 1 x 2217
5-19	90002175490S	1700-1950	66.93-76.77	490	19.29	Scalea/Sliver	5	1 x 2175, 1 x 2170, 1 x 2171, 1 x 2181, 1 x 2217
6-19	90002176490S	1900-2150	74.80-84.65	490	19.29	Scalea/Sliver	5	1 x 2176, 1 x 2170, 1 x 2171, 1 x 2181, 1 x 2217

\*on request

### SPECIFICATION DETAILS:




- ▶ Efficient storage combined with easy access
- ▶ Two hinged support arms assist in carrying the weight of the door
- ▶ Covers a large variety of cabinet heights and widths







▲ Saphir design



▲ Scalea design




mm (in.)



Description	Basket Design	Slide-Out Basket Width		Height				Door Rack Basket Width		Number of Baskets	Order No.
		mm	inch	from: mm	inch	to: mm	inch	mm	inch		
DUSA 1	Saphir	350	13.78	650	25.60	950	37.40	365	14.37	2	90002529
DUSA 1	Saphir	400	15.75	650	25.60	950	37.40	365	14.37	2	90002530
DUSA 1	Saphir	500	19.69	650	25.60	950	37.40	365	14.37	2	90002531
DUSA 1	Scalea	350	13.78	650	25.60	950	37.40	365	14.37	2	90002532
DUSA 1	Scalea	400	15.75	650	25.60	950	37.40	365	14.37	2	90002533
DUSA 1	Scalea	500	19.69	650	25.60	950	37.40	365	14.37	2	90002534
DUSA 2	Saphir	350	13.78	950	37.40	1200	47.24	365	14.37	3	90002535
DUSA 2	Saphir	400	15.75	950	37.40	1200	47.24	365	14.37	3	90002536
DUSA 2	Saphir	500	19.69	950	37.40	1200	47.24	365	14.37	3	90002537
DUSA 2	Scalea	350	13.78	950	37.40	1200	47.24	365	14.37	3	90002538
DUSA 2	Scalea	400	15.75	950	37.40	1200	47.24	365	14.37	3	90002539
DUSA 2	Scalea	500	19.69	950	37.40	1200	47.24	365	14.37	3	90002540
DUSA 3	Saphir	350	13.78	1200	47.24	1450	57.09	365	14.37	4	90002541
DUSA 3	Saphir	400	15.75	1200	47.24	1450	57.09	365	14.37	4	90002542
DUSA 3	Saphir	500	19.69	1200	47.24	1450	57.09	365	14.37	4	90002543
DUSA 3	Scalea	350	13.78	1200	47.24	1450	57.09	365	14.37	4	90002544
DUSA 3	Scalea	400	15.75	1200	47.24	1450	57.09	365	14.37	4	90002545
DUSA 3	Scalea	500	19.69	1200	47.24	1450	57.09	365	14.37	4	90002546
DUSA 4	Saphir	350	13.78	1450	57.09	1700	66.93	365	14.37	5	90002547
DUSA 4	Saphir	400	15.75	1450	57.09	1700	66.93	365	14.37	5	90002548
DUSA 4	Saphir	500	19.69	1450	57.09	1700	66.93	365	14.37	5	90002549
DUSA 4	Scalea	350	13.78	1450	57.09	1700	66.93	365	14.37	5	90002550
DUSA 4	Scalea	400	15.75	1450	57.09	1700	66.93	365	14.37	5	90002551
DUSA 4	Scalea	500	19.69	1450	57.09	1700	66.93	365	14.37	5	90002552
DUSA 5	Saphir	350	13.78	1700	66.93	1950	76.77	365	14.37	5	90002332
DUSA 5	Saphir	400	15.75	1700	66.93	1950	76.77	365	14.37	5	90002553
DUSA 5	Saphir	500	19.69	1700	66.93	1950	76.77	365	14.37	5	90002554
DUSA 5	Scalea	350	13.78	1700	66.93	1950	76.77	365	14.37	5	90002555
DUSA 5	Scalea	400	15.75	1700	66.93	1950	76.77	365	14.37	5	90002556
DUSA 5	Scalea	500	19.69	1700	66.93	1950	76.77	365	14.37	5	90002557
DUSA 6	Saphir	350	13.78	1900	74.80	2150	84.65	365	14.37	6	90002333
DUSA 6	Saphir	400	15.75	1900	74.80	2150	84.65	365	14.37	6	90002558
DUSA 6	Saphir	500	19.69	1900	74.80	2150	84.65	365	14.37	6	90002559
DUSA 6	Scalea	350	13.78	1900	74.80	2150	84.65	365	14.37	6	90002560
DUSA 6	Scalea	400	15.75	1900	74.80	2150	84.65	365	14.37	6	90002561
DUSA 6	Scalea	500	19.69	1900	74.80	2150	84.65	365	14.37	6	90002562
DUSA 7	Saphir	350	13.78	2150	84.65	2350	92.52	365	14.37	7	90002563
DUSA 7	Saphir	400	15.75	2150	84.65	2350	92.52	365	14.37	7	90002334
DUSA 7	Saphir	500	19.69	2150	84.65	2350	92.52	365	14.37	7	90002564
DUSA 7	Scalea	350	13.78	2150	84.65	2350	92.52	365	14.37	7	90002565
DUSA 7	Scalea	400	15.75	2150	84.65	2350	92.52	365	14.37	7	90002566
DUSA 7	Scalea	500	19.69	2150	84.65	2350	92.52	365	14.37	7	90002567

Packing Unit: per set, with mounting instructions



mm (in.)

1. Bottom Slide
2. Top Slide
3. Door Follower Bracket
4. Support Frame
5. Door Frame
6. Door Follower Guide Arm
7. Door Support Arm Bracket
8. Door Frame Holder
9. Basket Clip

### SPECIFICATION DETAILS:

- ▶ Ideally suited for narrow cabinets
- ▶ Very flexible design possibilities
- ▶ For straight 90° door fronts and angled door fronts 35° and 45°
- ▶ Door front brackets are 3-way adjustable
- ▶ Available in Saphir and Scalea basket design



▲ DSA-8 Scalea with 35° front



▲ DSA-8 Saphir with 35° front



▲ DSA-2 with 90° front



▲ DSA-2 with 45° front



▲ DSA door support



▲ DSA door front bracket



▲ Baking Sheet Holder (available on request)



▲ DSA door front brackets 90°, 35°, and 45°



▲ Towel Holder (available on request)



▲ DSA Saphir 90°




▲ DSA Scalea 90°



▲ DSA Saphir 35° or 45° (right shown)



▲ DSA Scalea 35° or 45° (right shown)










# DSA

## Narrow Tall Cabinet & Base Cabinet Pull-Out System

Featuring very flexible application with E-Z-Close Dampening System  
150 lbs. capacity



**Pull-out frame with slides and EZ Close damping system.  
Silver powder coated, non-handed**

Description	Height min.: H		Actual Frame Height		Number of Slides	For Number of Baskets	Order No.
	mm	inch	mm	inch			
DSA 1	485	19.10	475	18.70	2	2	90001663
DSA 2	581	22.90	571	22.48	2	2	90001664
DSA 3	645	25.40	635	25.00	2	2	90001665
DSA 3a	677	26.65	667	26.26	2	3	90002568
DSA 4	741	29.20	731	28.78	2	3	90001666
DSA 5	1221	48.10	1211	47.68	3	4	90001667
DSA 6	1413	55.63	1403	55.24	3	4	90001668
DSA 7	1605	63.20	1595	62.80	3	5	90001669
DSA 8	1829	72.01	1819	71.61	3	6	90001670

Packing Unit: per set with mounting instructions

### Basket Sets 90°, including door front brackets

Size	Min. inside Width: W		Saphir	Saphir	Scalea	Scalea	
	mm	inch	2 per box	3 per box	2 per box	3 per box	
	mm	inch	Order No.	Order No.	Order No.	Order No.	
85	3.35	112	4.41	90002569	90002570	90002585	90002586
125	4.92	152	5.98	90002571	90002572	90002587	90002588
165	6.50	192	7.56	90002573	90002574	90002589	90002590
230	9.06	257	10.12	90002575	90002576	90002591	90002592

### Basket Sets 35°, including door front brackets

Size	Min. inside Width: W		Saphir	Saphir	Scalea	Scalea	
	mm	inch	Left/Right	Left/Right	Left/Right	Left/Right	
	mm	inch	2 per box	3 per box	2 per box	3 per box	
	mm	inch	Order No.	Order No.	Order No.	Order No.	
165	6.50	192	7.56	90002581/90002583	90002582/90002584	90002601/90002603	90002602/90002604
230	9.06	257	10.12	90001629/90001631	90002609/90002610	90002605/90002607	90002606/90002608

### Basket Sets 45°, including door front brackets

Size	Min. inside Width: W		Saphir	Saphir	Scalea	Scalea	
	mm	inch	Left/Right	Left/Right	Left/Right	Left/Right	
	mm	inch	2 per box	3 per box	2 per box	3 per box	
	mm	inch	Order No.	Order No.	Order No.	Order No.	
165	6.50	192	7.56	90002577/90002579	90002578/90002580	90002593/90002595	90002594/90002596
230	9.06	257	10.12	90001577/90001583	90001578/90001584	90002597/90002599	90002598/90002600

# WARI CORNER

## Base Cabinet & Blind Corner Swing-Out and Slide System


Featuring the highest degree of accessibility with E-Z-Close Dampening System  
75 lbs. capacity

### SPECIFICATION DETAILS:

- ▶ The ultimate solution for blind corner accessibility
- ▶ Unique moving support mechanism
- ▶ Specify left or right hand use
- ▶ Available with Saphir or Scalea design baskets



(shown in photographs above is a right hand unit)



Saphir basket


Scalea basket



Saphir features a basket with wire mesh bottom.

Scalea features a basket with maple laminate bottom.

1. Door Support Slide, bottom
2. Door Support Slide, top
3. Cabinet Slide Assembly
4. Door Support Frame
5. Scissor Hinge Assembly
6. Door Adapter



(left hand unit shown)

mm (in.)

Handed	Basket Design	Door Basket									Cabinet Basket					Order No.		
		H min.	W min.	W	x	D	x	H	W	x	D	x	H					
		mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch			
Left	Saphir	520	20.47	410	16.14	450	17.72	305	12.0	75	2.95	430	16.93	370	14.57	75	2.95	90002331
Right	Saphir	520	20.47	410	16.14	450	17.72	305	12.0	75	2.95	430	16.93	370	14.57	75	2.95	90002330
Left	Scalea	520	20.47	410	16.14	450	17.72	305	12.0	75	2.95	430	16.93	370	14.57	75	2.95	90002516
Right	Scalea	520	20.47	410	16.14	450	17.72	305	12.0	75	2.95	430	16.93	370	14.57	75	2.95	90002515

Packing Unit: **1 set per box**; consisting of door and cabinet mechanism, 2 door baskets, 2 cabinet baskets, EZ-Close mechanism and mounting instructions.

# TWIN CORNER

## Base Cabinet & Blind Corner Swing-Out System







Most unique solution for blind corner cabinets  
100 lbs. capacity

### SPECIFICATION DETAILS:

- ▶ Both shelves turn and swing simultaneously out of the cabinet
- ▶ This unique motion puts all items to be retrieved right at your finger tips
- ▶ Three sizes are available
- ▶ Specify left or right hand use



(shown in photographs above is a right hand unit)



Twin Corner		Color: Scalea maple/silver powder coated wire					
Handed	Width: W	Minimum Opening		Minimum Opening		Order No.	
		Frameless		Faceframe			
	inch	mm	inch	mm	inch	mm	
Left	914	36.00	411	16.18	400	5.75	90002409
Right	914	36.00	411	16.18	400	5.75	90002410
Left	1016	40.00	461	18.15	440	17.32	90002411
Right	1016	40.00	461	18.15	440	17.32	90002412
Left	1219	48.00	561	22.09	540	21.26	90002517
Right	1219	48.00	561	22.09	540	21.26	90002518

Packing Unit: 1 set per box consisting of 2 shelves, twin mechanism and instructions



# PIE-CUT CORNER

## Base & Wall Cabinet Corner Applications

For hinged doors  
150 lbs. capacity

### SPECIFICATION DETAILS:

- ▶ Available as a wire basket or a wood shelf tray
- ▶ For base and wall cabinet use
- ▶ Extra length center tube available on request



Color*	Basket Diameter		Center Tube Height from:		to:	Order No.
	mm	inch	mm	inch		
chrome	460	18.11	680	26.77	760 29.99	90002528
chrome	720	28.35	680	26.77	760 29.99	90000835
chrome	820	32.28	680	26.77	760 29.99	90000837

\*silver powder coated available on request

Packing Unit: **1 set per box**; consisting of 1 center tube, 2 baskets, mounting instructions

Color*	Tray Diameter		Center Tube Height from:		to:	Order No.
	mm	inch	mm	inch		
maple	460	18.11	680	26.77	760 29.99	90002525
maple	720	28.35	680	26.77	760 29.99	90002526
maple	820	32.28	680	26.77	760 29.99	90002527

\*wire border silver powder coated

Packing Unit: **1 set per box**; consisting of 1 center tube, 2 trays, mounting instructions

# PIE-CUT CORNER

## Base Cabinet Corner Applications




For two auto-retracting doors revolving thru the cabinet  
150 lbs. capacity

### SPECIFICATION DETAILS:

- ▶ Ingenious door retracting mechanism folds both doors inward
- ▶ Self-centering in closed position



▲ Top center pivot and back wall support bracket available on request



### Auto-Retracting Door Mechanism

Color	Center Tube Height from:		to:		Order No.
	mm	inch	mm	inch	
silver powder coated	680	26.77	760	29.92	90000510

Packing Unit: **per set with instructions**

Color*	Basket Diameter		Order No.
	mm	inch	
chrome	810	31.89	90000514

\*silver powder coated available on request

Packing Unit: **1 set per box with 2 baskets**

Color*	Tray Diameter		Order No.
	mm	inch	
maple	810	31.89	90002519

\*wire border silver powder coated

Packing Unit: **1 set per box with 2 trays**



# LAZY-SUSAN CORNER

## Base & Wall Cabinet Diagonal Corner Applications

For diagonal cabinets with hinged door.  
150 lbs. capacity

### SPECIFICATION DETAILS:

- ▶ Available as a wire basket or a wood shelf tray
- ▶ For base and wall cabinet use
- ▶ Extra length center tube available on request



Color*	Basket Diameter		Center Tube Height from:		to:		Order No.
	mm	inch	mm	inch	mm	inch	
chrome	460	18.11	680	26.77	760	29.99	90002051
chrome	720	28.35	680	26.77	760	29.99	90000833
chrome	820	32.28	680	26.77	760	29.99	90000829

\*silver powder coated available on request

Packing Unit: **1 set per box**; consisting of 1 center tube, 2 baskets, mounting instructions

Color*	Tray Diameter		Center Tube Height from:		to:		Order No.
	mm	inch	mm	inch	mm	inch	
maple	460	18.11	680	26.77	760	29.99	90002520
maple	720	28.35	680	26.77	760	29.99	90002521
maple	820	32.28	680	26.77	760	29.99	90002522

\*wire border silver powder coated

Packing Unit: **1 set per box**; consisting of 1 center tube, 2 trays, mounting instructions

# LAZY-SUSAN CORNER

## Base Cabinet Diagonal Corner Applications




For a auto-retracting door revolving thru the cabinet  
150 lbs. capacity

### SPECIFICATION DETAILS:

- ▶ Ingenious door retracting mechanism pulls door inward
- ▶ Self-centering in closed position



- ▲ Top center pivot and back wall support bracket available on request



Auto-Retracting Door Mechanism Color	Center Tube Height				Order No.
	from:		to:		
	mm	inch	mm	inch	
silver powder coated	680	26.77	760	29.92	90000559
Packing Unit: per set with instructions					

Color*	Basket Diameter		Order No.
	mm	inch	
chrome	810	31.89	90000514
*silver powder coated available on request			
Packing Unit: 1 set per box with 2 baskets			

1 Add-on Center Section Basket		Order No.
Color*		
chrome		90002524
*silver powder coated available on request		
Packing Unit: 1 set per box (2)		

Color*	Tray Diameter		Order No.
	mm	inch	
maple	810	31.89	90002519
Packing Unit: 1 set per box with 2 trays			


2 Add-on Center Section Tray		Order No.
Color*		
maple		90002523
*wire border silver powder coated		
Packing Unit: 1 set per box (2)		

# BRS Wall Cabinet Pull-Out

Brings wall cabinet contents closer to you.  
The ideal spice carousel.  
50 lbs. capacity

## SPECIFICATION DETAILS:

- ▶ Available in a two or three carousel style basket version
- ▶ For left or right hand use



mm (in.)

1. Bottom Slide
2. Top Slide
3. Top and Bottom Door Follower
4. Tube Holder
5. Baskets



Number of Baskets	Color**	Cabinet H min.		Cabinet H max.		Cabinet W min.		Order No.
		mm	inch	mm	inch	mm	inch	
2	Chrome	490	19.29	540	21.26	268	10.55	90000716
2	Chrome	600	23.62	650	25.59	268	10.55	90000127
3	Chrome	750	29.53	800	31.50	268	10.55	90000655
3	Chrome	800	31.60	850	33.47	268	10.55	90000143
3	Chrome	850	33.47	900	35.43	268	10.55	90000129

Packing Unit: 1 set per box    \*\*silver powder coated available on request    \*other heights available on request




# OSA Wall Cabinet Pull-Out

Brings wall cabinet contents closer to you eliminating all those hard to reach places.  
50 lbs. capacity

## SPECIFICATION DETAILS:

- ▶ Available in a two or three tier rack version
- ▶ Saphir wire mesh bottom basket design only
- ▶ For left or right hand use
- ▶ Back wall must be fabricated to match



1. Door Rack
2. Back Wall Rack
3. Top and Bottom Door Follower
4. Top Slide
5. Bottom Slide
- B. Back wall (not supplied)



▲ Saphir design

Basket Design	Number of Tiers	Color*	Cabinet H min.		Cabinet H max.		Cabinet W min.		Door Rack W1		Back Wall Rack W2		Order No.
			mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	
Saphir	2	Chrome	500	19.85	700	27.56	318	12.52	247	9.72	284	11.18	90000122
Saphir	2	Chrome	500	19.85	700	27.56	418	16.46	347	13.66	384	15.12	90000126
Saphir	2	Chrome	500	19.85	700	27.56	468	18.43	397	15.63	434	17.09	90000130
Saphir	2	Chrome	500	19.85	700	27.56	568	22.36	547	21.54	534	21.02	90000132
Saphir	3	Chrome	700	27.56	900	35.43	318	12.52	247	9.72	284	11.18	90000121
Saphir	3	Chrome	700	27.56	900	35.43	418	16.46	347	13.66	384	15.12	90000125
Saphir	3	Chrome	700	27.56	900	35.43	468	18.43	397	15.63	434	17.09	90000131
Saphir	3	Chrome	700	27.56	900	35.43	568	22.36	547	21.54	534	21.02	90000133

Packing Unit: 1 set per box \*silver powder coated available on request

# SPICE RACKS

A convenience product for any cabinet

## SPECIFICATION DETAILS:

► Available in chrome or silver powder coated



▲ Opal design on request



▲ DUSA Door Rack only, with height adjustable baskets on request



▲ Saphir design



▲ Door adapter

Available Sizes								
Style	Width		Height		Depth		Color	Order No.
	mm	inch	mm	inch	mm	inch		
Saphir	187	7.36	480	18.90	79	3.11	Chrome	91000179
Saphir	362	14.26	480	18.90	79	3.11	Chrome	91000177
Saphir	187	7.36	480	18.90	79	3.11	Silver	91000050
Saphir	362	14.26	480	18.90	79	3.11	Silver	91000054

Packing Unit: **per piece**

Door adapter	Width		Color	Order No.
	mm	inch		
	236	9.30	Chrome	91000810
	336	13.23	Chrome	91000811
	386	15.20	Chrome	91000812
	436	19.13	Chrome	91000813
	536	21.10	Chrome	91000814
	236	9.30	Silver	91000504
	336	13.23	Silver	91000503
	386	15.20	Silver	91000502
	436	19.13	Silver	91000501
	536	21.10	Silver	91000500

Packing Unit: **per piece**

# IRONING BOARD

Full-Extension telescopic slide. Fits conveniently into existing drawer space.  
200 lbs. capacity

## SPECIFICATION DETAILS:

- ▶ Interior widths from 400 mm (16 in.) to 547 mm (21.50 in.)
- ▶ Minimum depth: 510 mm (20 in.)
- ▶ Minimum height: 120 mm (4.75 in.)
- ▶ Ironing board dimensions:  
950 mm (37.40 in.) x 300 mm (11.81 in.)
- ▶ Folds out of drawer space, lifts up and then rests against the counter top
- ▶ High quality stable, solid construction



### Color

white

### Order No.

90000120

Packing Unit: **1 per box**



1. Left Slide
2. Right Slide
3. Support Bracket
4. Drawer Front Bracket
5. Support Bracket



# PULL-OUT BASKETS

For Faceframe Cabinets: **A: Behind hinged door version**

110 lbs. capacity

**B: With front attachment brackets**

Full Extension Drawer slides included with E-Z-Close Dampening System

## SPECIFICATION DETAILS:

- ▶ A well thought-out system for the most popular base cabinet widths
- ▶ Unique, patented front attachment brackets
- ▶ Drawer slides come with rear mounting brackets





▶ Pull-out front version



▶ Hinged door version



▶ With front attachment bracket



▶ With face frame slide and rear mounting brackets



▶ With face frame slide and front mounting brackets

**Available Fall 2007**

### A: Behind hinged door versions\*

Cabinet Size outside dim. inch	Faceframe Cabinet inside width*				Actual Basket Width		Order No.	
	mm	inch	mm	inch	mm	inch	Saphir	Scalea
15	302	11.89	308	12.13	281	11.06	9000	9000
18	378	14.88	384	15.12	357	14.06	9000	9000
21	454	17.87	460	18.11	433	17.05	9000	9000
24	530	20.87	536	21.10	509	20.04	9000	9000

\*This width range allows 20mm (0.79 in.) for hinge protrusion

Packing Unit: **1 Basket per box includes drawer slide**

### B: With front attachment brackets

Cabinet Size outside dim. inch	Faceframe Cabinet inside width				Actual Basket Width		Order No.	
	mm	inch	mm	inch	mm	inch	Saphir	Scalea
15	302	11.89	308	12.13	281	11.06	9000	9000
18	378	14.88	384	15.12	357	14.06	9000	9000
21	454	17.87	460	18.11	433	17.05	9000	9000
24	530	20.87	536	21.10	509	20.04	9000	9000
30	683	26.89	689	27.13	662	26.06	9000	9000
36	835	32.87	841	33.11	814	32.05	9000	9000
42	988	38.90	994	39.13	966	38.03	9000	9000

Packing Unit: **1 Basket per box includes drawer slide**

Drawer slides mount to face frame and rear wall of the cabinet.

# PULL-OUT BASKETS

For Frameless Cabinets: **A: Behind hinged door version**

110 lbs. capacity

**B: With front attachment brackets**

Full Extension Drawer slides included with E-Z-Close Dampening System

## SPECIFICATION DETAILS:



- ▶ A well thought-out system for the most popular base cabinet widths
- ▶ Unique, patented front attachment brackets
- ▶ Drawer slides come with side spacers included



▶ Behind hinged door version



▶ With front attachment bracket





▶ With frameless slide and one spacer



▶ With frameless slide, front mounting brackets and two spacers

**Available Fall 2007**



### A: Behind hinged door versions

Cabinet Size outside dim. inch	Frameless Cabinet inside width				Actual Basket Width		Order No.	
	mm	inch	mm	inch	mm	inch	Saphir	Scalea
15	343	13.50	349	13.74	281	11.06	9000	9000
18	419	16.50	425	16.73	357	14.06	9000	9000
21	495	19.49	501	19.72	433	17.05	9000	9000
24	572	22.52	578	22.76	509	20.04	9000	9000

\*includes a 41mm (1.61 in.) spacer to overcome hinge protrusion

Packing Unit: 1 Basket per box includes drawer slide and one spacer

### B: With front attachment brackets\*

Cabinet Size outside dim. inch	Frameless Cabinet inside width				Actual Basket Width		Order No.	
	mm	inch	mm	inch	mm	inch	Saphir	Scalea
15	343	13.50	349	13.74	281	11.06	9000	9000
18	419	16.50	425	16.73	357	14.06	9000	9000
21	495	19.49	501	19.72	433	17.05	9000	9000
24	572	22.52	578	22.76	509	20.04	9000	9000
30	724	28.50	730	28.74	662	26.06	9000	9000
36	876	34.49	882	34.72	814	32.05	9000	9000
42	1029	40.51	1035	40.75	966	38.03	9000	9000

\*includes two 20.5mm (0.81 in.) spacers to overcome hinge protrusion

Packing Unit: 1 Basket per box includes drawer slide and two spacers

Drawer slides mount to the sides of the frameless cabinet.

# FR 3610

<b>SLIDE TYPE:</b>	Waste Basket Pull-out
<b>MOUNTING:</b>	Bottom Mount

<b>WIDTH:</b>	375 to 475 mm (14.75 in. to 18.75 in.)
<b>LOAD CAPACITY:</b>	dynamic up to <b>80 kg (175 lbs.)</b>



**Optional:**

<b>Description:</b>	FR 3611 Cleaning Utensil Carrying Caddy
<b>Material:</b>	Chrome
<b>Order Number:</b>	81003
<b>Packing:</b>	per piece



6-way adjustable front bracket facing outward




6-way adjustable front bracket facing inward

**MATERIAL:** slide: powder coated cold rolled steel  
tray: polystyrene

**FEATURES:** High-impact Delrin rollers

**SPECIFICATION DETAILS:**

- ▶ A very versatile pull-out for kitchen base cabinets
- ▶ This new waste bin pull-out system incorporates our new FR 790 slide with a new **E-Z-Close automatic self-closing and slam-resistant** feature.
- ▶ The **FR 790 drawer slide** with its **progressive action function** and an unmatched **weight capacity of 175 lbs.** will **protect** this pull-out from **any abuse**.
- ▶ It's design allows the use of commonly available plastic waste bins such as "Rubbermaid".
- ▶ Several configuration and combinations are possible
- ▶ The build-in width is adjustable for various cabinet dimensions
- ▶ 6-way adjustable front bracket reversible for any door application
- ▶ A vacuum formed tray serves as a cradle for the waste bin which is trimable within the specified width range.
- ▶ An optional FR 3611 Cleaning Utensil Carrying Caddy adds convenience.



**NOTE:**

- ▶ For use with two Rubbermaid #2806 34L / 36 qt. or similar waste bins. Waste bins not included.

Length	Extension	Inside Cabinet Width				Weight	Order No.
		from:	to:	kg	lbs		
575 22.64	600 23.62	375 14.75	475 18.75	*	*	<b>92050</b>	
Packing Unit: <b>per set (without plastic waste basket)</b>							<b>* on request</b>





**VAUTH-SAGEL**  
*by Fulterer*

542 Townsend Avenue  
High Point, NC 27263  
Phone: 1 336 431 4646  
1 800 395 4646  
Fax: 1 336 431 4620  
info@fultererusa.com  
www.fultererusa.com

