
ideas in motion >




waste basket pull-outs brochure












FR 3606			LENGTH: WIDTH:	575 mm (22.64 in.) variable
	MOUNTING: FI	oor Mount	LOAD CAPACITY	dynamic up to 80 kg (175 lbs.)
	7		CD A ve This slide self The activ capa any This conf 6-wa	FICATION DETAILS: ry versatile pull-out for kitchen base cabinets pull-out system incorporates our new FR 785 with a new Easy Close automatic reclosing and slam-resistant feature. FR 785 drawer slide with its progressive on function and an unmatched weight acity of 175 lbs. will protect this pull-out from abuse. design gives the user total flexibility in iguration for waste bins and width of cabinet ay adjustable front bracket reversible for any application variable (4.0)
	FEATURES: Hi	igh-impact Delrin rollers		(recommended pull-out design)
Length Extension	from: to:	Min. Inside Cabinet Height	Weight	Order No.
mm in mm in in FR 3606 575 22.64 600 23.62	nm in mm in variable	variable	kg lbs	white 92046
Packing Unit: per set				* on request
	SLIDE TYPE: Fu	III-Extension Drawer Slide	LENGTH:	575 mm (22.64 in.)
FR 3605	E. 13 34	por Mount	CD SPECII A ve This slide self- This beau This conf 6-wa door	variable dynamic up to 50 kg (100 lbs.) FICATION DETAILS: ry versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 with a new Easy Close automatic closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball ring drawer slide with a proven track record. design gives the user total flexibility in iguration for waste bins and width of cabinet ay adjustable front bracket reversible for any application
MATERIAL: powder coated cold rolled steel I Waste Basket Pull-out Extension	12 12 10		LOAD CAPACITY SPECII A ve This slide self This beau This conf 6-wa	dynamic up to 50 kg (100 lbs.) FICATION DETAILS: ry versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 with a new Easy Close automatic closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball ring drawer slide with a proven track record. design gives the user total flexibility in iguration for waste bins and width of cabinet ay adjustable front bracket reversible for any application
MATERIAL: powder coated cold rolled steel I Waste Basket Pull-out Extension	FEATURES: st Inside Cabinet Width from: to:	bor Mount	LOAD CAPACITY SPECI A ve This slide self This beau This conf 6 -vv door 575 (22.66 Veight	Crder No.



		10	SLIDE TYPE:	Progressive Action Full-Extension Drawer Slide	LENGTH: WIDTH:	575 mm (22.64 in.)
	FR 36	12	MOUNTING:	Side Mount		variable dynamic up to 80 kg (175 lbs.)
			1 1 1		 A ve This slide self The actic cap any This continue of the content of the	FICATION DETAILS: FICATION DETAILS: ary versatile pull-out for kitchen base cabinets pull-out system incorporates our new FR 785 e with a new Easy Close automatic -closing and slam-resistant feature. FR 785 drawer slide with its progressive on function and an unmatched weight acity of 175 lbs. will protect this pull-out from abuse. design gives the user total flexibility in figuration for waste bins and width of cabinet ay adjustable front bracket reversible for any application
MATERIAL: pow	wder coated co	ld rolled steel	FEATURES:	mm (in.) High-impact Delrin rollers		(recommended pull-out design)
Waste Basket Pul L	Length	Extension mm in	Inside Cabinet Widt from: to: mm in mm	th Min. Inside Cabinet Height in mm in.	Weight _{kg} Ibs	Order No. white
	75 22.64	600 23.62	variable	variable	* *	92044
Packing Unit: pe	er set					* on request
	FR 36		SLIDE TYPE: MOUNTING:	Full-Extension Drawer Slide Side Mount	SPECI A ve This slide self This bea	575 mm (22.64 in.) variable dynamic up to 50 kg (100 lbs.) FICATION DETAILS: ry versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 e with a new Easy Close automatic -closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball ring drawer slide with a proven track record.
			MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve > This slide self - This bea > This cont - 6-w door	variable dynamic up to 50 kg (100 lbs.) FICATION DETAILS: Pry versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 e with a new Easy Close automatic -closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball
MATERIAL: PO	wwder coated co		MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve > This slide self - This bea > This cont - 6-w door	variable dynamic up to 50 kg (100 lbs.) FICATION DETAILS: any versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 with a new Easy Close automatic -closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball ring drawer slide with a proven track record. design gives the user total flexibility in figuration for waste bins and width of cabinet ay adjustable front bracket reversible for any application 4.400 4.4
MATERIAL: por Waste Basket Pul	wyder coated co Il-out Length Im in	Id rolled steel	MOUNTING: Transformed and the second	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve > A ve > This slide self > This bea > This cont > 6-w dool	variable dynamic up to 50 kg (100 lbs.) FICATION DETAILS: ary versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 ewith a new Easy Close automatic -closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball ring drawer slide with a proven track record. design gives the user total flexibility in figuration for waste bins and width of cabinet ay adjustable front bracket reversible for any application
MATERIAL: pour	wwder coated co	Id rolled steel	MOUNTING:	Side Mount	WIDTH: LOAD CAPACITY ECCD A ve 3 This slide self - This bea - This conf - 6-w dool	variable dynamic up to 50 kg (100 lbs.) FICATION DETAILS: ry versatile pull-out for kitchen base cabinets new pull-out system incorporates our FR 5000 with a new Easy Close automatic closing and slam-resistant feature. pull-out features a lighter duty FR 5000 ball ring drawer slide with a proven track record. design gives the user total flexibility in figuration for waste bins and width of cabinet ay adjustable front bracket reversible for any application






white lbs mm in in in in. mm mm mm kg 92052 FR 3603 **480** 18.90 18.25 270 10.63 450 17.72 464 Packing Unit: one unit



* on request



DISTRIBUTED BY:

542 Townsend Avenue T +1 800 395 - 4646 High Point, NC 27263-4552, USA

FULTERER USA INC. T +1 336 431 - 4646 F +1 336 431 - 4620 info@fultererusa.com

FULTERER USA INC. 1900 Proforma Avenue, Unit F-2 F +1 909 947 - 0409 Ontario, CA

T +1 909 947 - 0407

FULTERER GMBH

MERZROLLER AG